



GetTechnologies™

Sport Lighting
GET ARENA VIEW



www.gettechnologies.pk

MODULE CONFIGURATION DESIGN



M2-800SW

M1-400SW



FEATURES

Dial and Laser Pointer
Precise Positioning



Supports precise angle
adjustment of a single
module



Supports easy angle
adjustment with
total control

4mm Thickness Yoke Mount
Firm and Stable




Adjustable Wattage
500\650\800W







Scales on Yoke Mount to
Support Precise Positioning

Optional Different Electrical Box
Meet Various Demand



side view

Applications



GET ARENA VIEW



Model No.	SPM02-400SW	SPM02-800SW	SPM02-1200SW
Wattage(W)	240/320/400W	500/650/800W	1000/1100/1200W
Voltage(V)	200-480VAC		
CRI	80/Optional 70		
Efficacy (LM/W)	150lm/w @ CRI:80 (160lm/w @ CRI:70)		
Output(LM)	36000/48000/60000	75000\97500\120000	150000\165000\180000
Lifetime(Hours)	L70B50: 100,000Hours @ 25°C/77°F		
CCT	4000/5000K		
Beam Angle(°)	30°/50 /60° (Optional 10° with different chips)		
Smart Control	0-10V dimmable (Optional DALI, DMX)		
Surge Protection	20KV		
IK Degree	IK09		
IP Degree	IP66		
Operation Temperature	-40°C~50°C		
Warranty	5 Years, Optional 7 Years		
Weight	13Kg	18Kg	24Kg
Dimension	530*330*385mm	530*650*385mm	530*890*530mm

GetTechnologiesTM

Powering a Green Tomorrow

Get in Touch:

 0321-5959170, 0321-5959171

E-mail: sales@getgroup.pk

Visit our website: www.gettechnologies.pk

24 KM Main Ferozepur Road, Kahna Nau, Lahore, Pakistan